



6500 Brooktree Rd. Suite 208 Wexford, PA 15090 PHONE: (724) 799-8558 FAX:(412) 430-3383

Please fill out the following assessments and bring with you to your initial appointment along with your Driver's License and Health Insurance ID Card

Screen for Child Anxiety Related Disorders (SCARED)

PARENT Version—Page 1 of 2 (to be filled out by the PARENT)

Name: _____ Date: _____

Directions:

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is “Not True or Hardly Ever True” or “Somewhat True or Sometimes True” or “Very True or Often True” for your child. Then, for each statement, check the box that corresponds to the response that seems to describe your child *for the last 3 months*. Please respond to all statements as well as you can, even if some do not seem to concern your child.

	0	1	2	
	Not True or Hardly Ever True	Somewhat True or Sometimes True	Very True or Often True	
1. When my child feels frightened, it is hard for him/her to breathe.				PA/SO
2. My child gets headaches when he/she is at school.				SCH
3. My child doesn't like to be with people he/she doesn't know well.				SOC
4. My child gets scared if he/she sleeps away from home.				SEP
5. My child worries about other people liking him/her.				GA
6. When my child gets frightened, he/she feels like passing out.				PA/SO
7. My child is nervous.				GA
8. My child follows me wherever I go.				SEP
9. People tell me that my child looks nervous.				PA/SO
10. My child feels nervous with people he/she doesn't know well.				SOC
11. My child gets stomachaches at school.				SCH
12. When my child gets frightened, he/she feels like he/she is going crazy.				PA/SO
13. My child worries about sleeping alone.				SEP
14. My child worries about being as good as other kids.				GA
15. When my child gets frightened, he/she feels like things are not real.				PA/SO
16. My child has nightmares about something bad happening to his/her parents.				SEP
17. My child worries about going to school.				SCH
18. When my child gets frightened, his/her heart beats fast.				PA/SO
19. He/she gets shaky.				PA/SO
20. My child has nightmares about something bad happening to him/her.				SEP

Screen for Child Anxiety Related Disorders (SCARED)
PARENT Version—Page 2 of 2 (to be filled out by the PARENT)

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
21. My child worries about things working out for him/her.				GA
22. When my child gets frightened, he/she sweats a lot.				PA/SO
23. My child is a worrier.				GA
24. My child gets really frightened for no reason at all.				PA/SO
25. My child is afraid to be alone in the house.				SEP
26. It is hard for my child to talk with people he/she doesn't know well.				SOC
27. When my child gets frightened, he/she feels like he/she is choking.				PA/SO
28. People tell me that my child worries too much.				GA
29. My child doesn't like to be away from his/her family.				SEP
30. My child is afraid of having anxiety (or panic) attacks.				PA/SO
31. My child worries that something bad might happen to his/her parents.				SEP
32. My child feels shy with people he/she doesn't know well.				SOC
33. My child worries about what is going to happen in the future.				GA
34. When my child gets frightened, he/she feels like throwing up.				PA/SO
35. My child worries about how well he/she does things.				GA
36. My child is scared to go to school.				SCH
37. My child worries about things that have already happened.				GA
38. When my child gets frightened, he/she feels dizzy.				PA/SO
39. My child feels nervous when he/she is with other children or adults and he/she has to do something while they watch him/her (for example: read aloud, speak, play a game, play a sport).				SOC
40. My child feels nervous when he/she is going to parties, dances, or any place where there will be people that he/she doesn't know well.				SOC
41. My child is shy.				SOC

The SCARED is available at no cost at www.pediatricbipolar.pitt.edu under resources/instruments.

January 19, 2018

TO BE COMPLETED BY CLINICIAN

SCORING:

A total score of ≥ 25 may indicate the presence of an **Anxiety Disorder**. Scores higher than 30 are more specific. **TOTAL =**

A score of 7 for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate **Panic Disorder** or **Significant Somatic Symptoms**. **PA/SO =**

A score of 9 for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate **Generalized Anxiety Disorder**. **GA =**

A score of 5 for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate **Separation Anxiety**. **SEP =**

A score of 8 for items 3, 10, 26, 32, 39, 40, 41 may indicate **Social Phobic Disorder**. **SOC =**

A score of 3 for items 2, 11, 17, 36 may indicate **Significant School Avoidance**. **SCH =**

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child.
When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child was on medication was not on medication not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total Symptom Score for questions 1–18: _____

Total number of questions scored 2 or 3 in questions 19–26: _____

Total number of questions scored 2 or 3 in questions 27–40: _____

Total number of questions scored 2 or 3 in questions 41–47: _____

Total number of questions scored 4 or 5 in questions 48–55: _____

Average Performance Score: _____



LEVEL 2—Depression—Parent/Guardian of Child Age 6-17*

*PROMIS Emotional Distress—Depression—Parent Item Bank

Child's Name: _____ Age: _____ Sex: Male Female Date: _____

What is your relationship with the child receiving care? _____

Instructions to parent/guardian: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that *during the past 2 weeks* your child receiving care has been bothered by “not finding interest or pleasure in doing things” and/or “seeming down, depressed, or hopeless” at a mild or greater level of severity. The questions below ask about these feelings in more detail and especially how often your child receiving care has been bothered by a list of symptoms **during the past 7 days**. Please respond to each item by marking (✓ or x) one box per row.

							Clinician Use
In the past SEVEN (7) days, my child said he/she ...							Item Score
		Never	Almost Never	Sometimes	Often	Almost Always	
1.	Could not stop feeling sad.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
2.	Felt alone.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
3.	Felt like he/she couldn't do anything right.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
4.	Felt lonely.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
5.	Felt sad.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
6.	Felt unhappy.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
7.	Thought that his/her life was bad.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
8.	Didn't care about anything.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
9.	Felt stressed.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
10.	Felt too sad to eat.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
11.	Wanted to be by himself/herself.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
Total/Partial Raw Score:							
Prorated Total Raw Score:							
T-Score:							

©2008-2012 PROMIS Health Organization (PHO) and PROMIS Cooperative Group.
 This material can be reproduced without permission by clinicians for use with their patients.
 Any other use, including electronic use, requires written permission of the PHO.

Screen for Child Anxiety Related Disorders (SCARED) CHILD Version—Page 1 of 2 (to be filled out by the CHILD)

Developed by Boris Birmaher, M.D., Suneeta Khetarpal, M.D., Marlane Cully, M.Ed., David Brent, M.D., and Sandra McKenzie, Ph.D., Western Psychiatric Institute and Clinic, University of Pittsburgh (October, 1995). E-mail: birmaherb@upmc.edu

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(10), 1230–6.

Name: _____ Date: _____

Directions:

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is “Not True or Hardly Ever True” or “Somewhat True or Sometimes True” or “Very True or Often True” for you. Then, for each sentence, fill in one circle that corresponds to the response that seems to describe you *for the last 3 months*.

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
1. When I feel frightened, it is hard to breathe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
2. I get headaches when I am at school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
3. I don't like to be with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
4. I get scared if I sleep away from home.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
5. I worry about other people liking me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
6. When I get frightened, I feel like passing out.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
7. I am nervous.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
8. I follow my mother or father wherever they go.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
9. People tell me that I look nervous.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
10. I feel nervous with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
11. I get stomachaches at school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
12. When I get frightened, I feel like I am going crazy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
13. I worry about sleeping alone.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
14. I worry about being as good as other kids.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
15. When I get frightened, I feel like things are not real.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
16. I have nightmares about something bad happening to my parents.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
17. I worry about going to school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
18. When I get frightened, my heart beats fast.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
19. I get shaky.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
20. I have nightmares about something bad happening to me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP

Screen for Child Anxiety Related Disorders (SCARED)
CHILD Version—Page 2 of 2 (to be filled out by the CHILD)

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
21. I worry about things working out for me.	○	○	○	GD
22. When I get frightened, I sweat a lot.	○	○	○	PN
23. I am a worrier.	○	○	○	GD
24. I get really frightened for no reason at all.	○	○	○	PN
25. I am afraid to be alone in the house.	○	○	○	SP
26. It is hard for me to talk with people I don't know well.	○	○	○	SC
27. When I get frightened, I feel like I am choking.	○	○	○	PN
28. People tell me that I worry too much.	○	○	○	GD
29. I don't like to be away from my family.	○	○	○	SP
30. I am afraid of having anxiety (or panic) attacks.	○	○	○	PN
31. I worry that something bad might happen to my parents.	○	○	○	SP
32. I feel shy with people I don't know well.	○	○	○	SC
33. I worry about what is going to happen in the future.	○	○	○	GD
34. When I get frightened, I feel like throwing up.	○	○	○	PN
35. I worry about how well I do things.	○	○	○	GD
36. I am scared to go to school.	○	○	○	SH
37. I worry about things that have already happened.	○	○	○	GD
38. When I get frightened, I feel dizzy.	○	○	○	PN
39. I feel nervous when I am with other children or adults and I have to do something while they watch me (for example: read aloud, speak, play a game, play a sport).	○	○	○	SC
40. I feel nervous when I am going to parties, dances, or any place where there will be people that I don't know well.	○	○	○	SC
41. I am shy.	○	○	○	SC

SCORING:

A total score of ≥ 25 may indicate the presence of an **Anxiety Disorder**. Scores higher than 30 are more specific. **TOTAL =**

A score of **7** for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate **Panic Disorder** or **Significant Somatic Symptoms**. **PN =**

A score of **9** for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate **Generalized Anxiety Disorder**. **GD =**

A score of **5** for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate **Separation Anxiety SOC**. **SP =**

A score of **8** for items 3, 10, 26, 32, 39, 40, 41 may indicate **Social Anxiety Disorder**. **SC =**

A score of **3** for items 2, 11, 17, 36 may indicate **Significant School Avoidance**. **SH =**

For children ages 8 to 11, it is recommended that the clinician explain all questions, or have the child answer the questionnaire sitting with an adult in case they have any questions.

The SCARED is available at no cost at www.wpic.pitt.edu/research under tools and assessments, or at [www.pediatric bipolar.pitt.edu](http://www.pediatric.bipolar.pitt.edu) under instruments.

LEVEL 2—Depression—Child Age 11–17*

*PROMIS Emotional Distress—Depression—Pediatric Item Bank

Name: _____

Age: _____

Sex: Male Female

Date: _____

Instructions to the child: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that *during the past 2 weeks* you have been bothered by “having little interest or pleasure in doing things” and/or “feeling down, depressed, or hopeless” at a mild or greater level of severity. The questions below ask about these feelings in more detail and especially how often you have been bothered by a list of symptoms **during the past 7 days**. **Please respond to each item by marking (✓ or x) one box per row.**

							Clinician Use
In the past SEVEN (7) DAYS...							Item Score
		Never	Almost Never	Sometimes	Often	Almost Always	
1.	I could not stop feeling sad.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
2.	I felt alone.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
3.	I felt everything in my life went wrong.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
4.	I felt like I couldn't do anything right.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
5.	I felt lonely.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
6.	I felt sad.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
7.	I felt unhappy.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
8.	I thought that my life was bad.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
9.	Being sad made it hard for me to do things with my friends.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
10.	I didn't care about anything.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
11.	I felt stressed.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
12.	I felt too sad to eat.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
13.	I wanted to be by myself.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
14.	It was hard for me to have fun.	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	
Total/Partial Raw Score:							
Prorated Total Raw Score:							
T-Score:							

*The PROMIS measure was developed for and can be used with children ages 8-17 but was tested in children ages 11–17 in the DSM-5 Field Trials.

©2008-2012 PROMIS Health Organization (PHO) and PROMIS Cooperative Group.

This material can be reproduced without permission by clinicians for use with their patients.

Any other use, including electronic use, requires written permission of the PHO.